


DULAR STEEL STORAGE
SYSTEMS

SUPERINOX


PATENTED MODULAR STAINLESS STEEL SHELVING



MODULAR
SYSTEMS



METALSISTEM[®]
SISTEMI E STRUTTURE PER IL MAGAZZINO


FRAME 32/1

 1100 daN load bearing capacity
with max. 400mm distance between levels

component	height (mm)	depth (mm)
SI20S408	850	400
SI20S508	850	500
SI20S608	850	600
SI20S420	2000	400
SI20S520	2000	500
SI20S620	2000	600
SI20S425	2500	400
SI20S525	2500	500
SI20S625	2500	600

FRAME 32/4

 1400 daN load bearing capacity
with max. 400mm distance between levels

component	height (mm)	depth (mm)
SI25S420	2000	400
SI25S520	2000	500
SI25S620	2000	600
SI25S425	2500	400
SI25S525	2500	500
SI25S625	2500	600

In case of different frame configurations and/or for higher frame load capacity options, please refer to the <MT10> Technical Manual


SUPERINOX UPRIGHT 32/1


component	height (mm)
SI20M085	850
SI20M200	2000
SI20M250	2500

SUPERINOX UPRIGHT 32/4


component	height (mm)
SI25M200	2000
SI25M250	2500

FRAME ACCESSORY KIT
(Top Cap & INOX Foot Plate)


Art. N° SI07A001


FRAME ACCESSORY KIT
(Top Cap & Plastic Foot Plate)


Art. N° SI07A005


UPRIGHT TOP CAP

Art. N° SI01A003


SUNK TOP CAP


Art. N° SI01A006


OVERALL FRAME DIMENSION

nominal depth (mm)	overall depth (mm)
400	389
500	521
600	587

OVERALL BAY DIMENSION

nominal length (mm)	overall length (mm)
900	903
1000	1002
1200	1200
1500	1497
SUPERINOX Upright Width	32 mm



SPACER BAR SET
for flat shelf - header frame

component	depth (mm)
-----------	------------

SI20TL40I	400
-----------	-----

SI20TL50I	500
-----------	-----

SI20TL60I	600
-----------	-----



SPACER BAR SET
for flat shelf - bay frame

component	depth (mm)
-----------	------------

SI20TL40M	400
-----------	-----

SI20TL50M	500
-----------	-----

SI20TL60M	600
-----------	-----



SPACER BAR SET
for slatted shelf - header frame

component	depth (mm)
-----------	------------

SI20TG40I	400
-----------	-----

SI20TG50I	500
-----------	-----

SI20TG60I	600
-----------	-----



SPACER BAR SET
for slatted shelf - bay frame

component	depth (mm)
-----------	------------

SI20TG40M	400
-----------	-----

SI20TG50M	500
-----------	-----

SI20TG60M	600
-----------	-----



SPACER BAR SET
for plastic shelf - header frame

component	depth (mm)
-----------	------------

SI20TP40I	400
-----------	-----

SI20TP50I	500
-----------	-----

SI20TP60I	600
-----------	-----



SPACER BAR SET
for plastic shelf - bay frame

component	depth (mm)
-----------	------------

SI20TP40M	400
-----------	-----

SI20TP50M	500
-----------	-----

SI20TP60M	600
-----------	-----


SUPERINOX SPACER BAR 32/1

component	depth (mm)
-----------	------------

SI01T040	400
----------	-----

SI01T050	500
----------	-----

SI01T060	600
----------	-----


SUPERINOX SPACER BAR 32/4

component	depth (mm)
-----------	------------

SI04T040	400
----------	-----

SI04T050	500
----------	-----

SI04T060	600
----------	-----


SUPERINOX BEAM 32/0

code article	length (mm)
--------------	-------------

SI00C060	600
----------	-----

SI00C090	900
----------	-----

SI00C100	1000
----------	------

SI00C120	1200
----------	------

SI00C150	1500
----------	------

SUPERINOX BEAM 32/4

component	length (mm)
-----------	-------------


SI04C060	600
----------	-----

SI04C090	900
----------	-----

SI04C100	1000
----------	------

SI04C120	1200
----------	------

SI04C150	1500
----------	------


SUPERINOX SECONDARY BEAM 32/0

component	length (mm)
-----------	-------------

SI00R060	600
----------	-----

SI00R090	900
----------	-----

SI00R100	1000
----------	------

SI00R120	1200
----------	------

SI00R150	1500
----------	------

SUPERINOX SECONDARY BEAM 32/1

component	length (mm)
-----------	-------------

SI01R060	600
----------	-----


SI01R090	900
----------	-----

SI01R100	1000
----------	------

SI01R120	1200
----------	------


SI01R150	1500
----------	------

SLATTED SHELF 32/0



Refer to the <MT10> SUPERINOX Technical Manual for detailed information and higher load capacity options


WHITE PLASTIC SHELF 32/0



Plastic shelf panels are also available in yellow, blue and light blue


INOX FLAT SHELF COVER

stainless steel cover sheet



SMOOTH INOX SHELF 32/0

includes 2 beams, 1 secondary beam 32/0, and a stainless steel cover sheet




Refer to the <MT10> SUPERINOX Technical Manual for detailed information and higher load capacity options

component	height (mm)	depth (mm)	load capacity (daN) uniformly distributed load
SI00G409	400	900	250
SI00G410	400	1000	238
SI00G412	400	1200	167
SI00G415	400	1500	108
SI00G509	500	900	201
SI00G510	500	1000	201
SI00G512	500	1200	201
SI00G515	500	1500	152
SI00G609	600	900	178
SI00G610	600	1000	178
SI00G612	600	1200	178
SI00G615	600	1500	174

component	height (mm)	depth (mm)	load capacity (daN) uniformly distributed load
SI00PP409C1	400	900	90
SI00PP412C1	400	1200	67
SI00PP415C1	400	1500	43
SI00PP509C1	500	900	90
SI00PP512C1	500	1200	67
SI00PP515C1	500	1500	43


component	depth (mm)	length (mm)
SI00P409	400	900
SI00P410	400	1000
SI00P412	400	1200
SI00P415	400	1500
SI00P509	500	900
SI00P510	500	1000
SI00P512	500	1200
SI00P515	500	1500
SI00P609	600	900
SI00P610	600	1000
SI00P612	600	1200
SI00P615	600	1500

component	height (mm)	depth (mm)	load capacity (daN) uniformly distributed load
SI00L409	400	900	116
SI00L410	400	1000	95
SI00L412	400	1200	67
SI00L415	400	1500	43
SI00L509	500	900	116
SI00L510	500	1000	95
SI00L512	500	1200	67
SI00L515	500	1500	43
SI00L609	600	900	116
SI00L610	600	1000	95
SI00L612	600	1200	67
SI00L615	600	1500	43





SUPERINOX CORNER FLAT SHELF COVER

component	depth (mm)	length (mm)
SI00P412A	400	1200
SI00P512A	500	1200
SI00P612A	600	1200



SUPERINOX CORNER FLAT SHELF COVER


shaped at left	dimension		shaped at right
component	depth (mm)	length (mm)	component
SI00P412S	400	1200	SI00P412D
SI00P512S	500	1200	SI00P512D
SI00P612S	600	1200	SI00P612D



LEFT SIDED CORNER SHELF UNIT 32/4

with flat shelf cover sheet		dimension		with slatted shelf	
component	load capacity (daN) with uniformly distributed load	depth (mm)	length (mm)	component	load capacity (daN) with uniformly distributed load
SI04AL412SX	152	400	1200	SI04AG412SX	219
SI04AL512SX	130	500	1200	SI04AG512SX	160
SI04AL612SX	113	600	1200	SI04AG612SX	113

Please refer to the <MT10> SUPERINOX Technical Manual for detailed information and higher load capacity options



RIGHT SIDED CORNER SHELF UNIT 32/4

with flat shelf cover sheet		dimension		with slatted shelf	
component	load capacity (daN) with uniformly distributed load	depth (mm)	length (mm)	component	load capacity (daN) with uniformly distributed load
SI04AL412DX	152	400	1200	SI04AG412DX	219
SI04AL512DX	130	500	1200	SI04AG512DX	160
SI04AL612DX	113	600	1200	SI04AG612DX	113


Please refer to the <MT10> SUPERINOX Technical Manual for detailed information and higher load capacity options

POLYPROPYLENE SHELF PANELS

for use within standard stainless steel shelving applications *


Features:


- more than 50% perforation over the surface
- suitable for application in food industry
- load bearing capacity per shelf panel 30daN, for uniformly distributed loads



component	length (mm)	depth (mm)	colour
PLI30X40C1	300	400	white
PLI30X50C1	300	500	white
PLI30X40A1	300	400	yellow
PLI30X50A1	300	500	yellow
PLI30X40B1	300	400	light blue
PLI30X50B1	300	500	light blue
PLI30X40B2	300	400	blue
PLI30X50B2	300	500	blue

* when used within SUPERINOX display shelving, please note that different article code numbers apply: refer to page 37 to view article code numbers valid for display shelving applications.





WALL FRAME

article code n° 00006970
dimension: 32x480x2070 mmH




Ref. 1 - pag. 38

The article code number 0006970 is a macrocode and comprises the following components:

qty.	component	description
2	00005030	Inox Beam 32/0 L=292 mm
2	00006967	Inox Beam 32/0 L=194.5 mm
1	00006968	Inox Arched Upright 32/4 H=2071 mm
1	00006969	Inox Straight Upright 32/4 H=2005 mm
8	SI03A003	Inox Clip
2	SI01A001	Inox Adjustable Base Plate Support
1	SI01A004	Plastic Foot Plate
2	00004972	Plastic Insert (top & bottom) for shaped upright
2	00004973	2-way fixed insert support
2	00005017	Plastic 2-way adjustable joint with parallel holes
1	SI01A003	Upright Cap
6	00005204	Inox Dowel for Inox Clip
including all bolts and nuts needed for the construction of the wall frame		

ISLAND FRAME

article code n° 00006971
dimension: 32x910x2070 mmH




Ref. 12 - pag. 39

The article code number 0006971 is a macrocode and comprises the following components:

qty.	component	description
4	00005030	Inox Beam 32/0 L=292 mm
4	00006967	Inox Beam 32/0 L=194.5 mm
2	00006968	Inox Arched Upright 32/4 H=2071 mm
1	00006969	Inox Straight Upright 32/4 H=2005 mm
8	SI03A003	Inox Clip
8	SI03A034	Inox Half Clip with lugs
2	SI01A001	Inox Base Plate Support
1	SI01A004	Plastic Foot Plate
4	00004972	Plastic Insert (top & bottom) for shaped upright
4	00004973	2-way fixed insert support
4	00005017	Plastic 2-way adjustable joint with parallel holes
1	SI01A003	Upright Cap
12	00005204	Inox Dowel for clip
including all bolts and nuts needed for the construction of the island frame		

WALL BAY UNIT



Ref. 5 - pag. 38/39

WALL BAY (without the frames)

component length (mm)

The article code numbers listed below are macrocodes and contain all components illustrated at left needed to build a wall bay unit, except the frames. The plastic shelves are white.

00007117	900
00007118	1200
00007119	1500

Upon request, the plastic shelves for both wall and island bays can be supplied in yellow, lightblue, or blue colour as well.


ISLAND BAY (without the frames)

component length (mm)

The article code numbers listed below are macrocodes and contain all components illustrated at right needed to build an island bay unit, except the frames. The plastic shelves are white.

00007146	900
00007147	1200
00007148	1500


ISLAND BAY UNIT



Ref. 6 - pag. 39

**SHELF SUPPORT
ACCESSORIES**

article code n° 00007170




Ref.2 - pag. 38

The article code n° 00007170 is a macrocode and includes the following single components:

qty.	component	description
4	SI03A034	Inox half clip with lugs
2	00005204	Inox dowel for half clip
2	SI08A001	Square insert diam. 12 mm
4	00004925	Screw 8 mm


FLAT SHELF with stainless steel sheet cover
for display shelving series



Ref. 3 - pag. 38

component	depth (mm)	length (mm)
00007067	400	900
00007070	400	1200
00007073	400	1500
00007068	500	900
00007071	500	1200
00007074	500	1500
00007069	700	900
00007072	700	1200
00007075	700	1500


SLATTED SHELF
for display shelving series



Ref. 4 - pag. 38

component	depth (mm)	length (mm)
00007107	400	900
00007110	400	1200
00007113	400	1500
00007108	500	900
00007111	500	1200
00007114	500	1500
00007109	700	900
00007112	700	1200
00007115	700	1500

PLASTIC SHELF - white colour
for display shelving applications




Ref. 7 - pag. 39

component	depth (mm)	length (mm)
00007089	400	900
00007092	400	1200
00007095	400	1500
00007090	500	900
00007093	500	1200
00007096	500	1500
00007091	700	900
00007094	700	1200
00007097	700	1500

The plastic panels are also available in yellow, blue and light blue colour

WOODEN SHELF


for display shelving applications



component	depth (mm)	length (mm)
00007029	400	900
00007032	400	1200
00007035	400	1500
00007030	500	900
00007033	500	1200
00007036	500	1500
00007031	700	900
00007034	700	1200
00007037	700	1500

ROLLER SHELF FRAME

(roller profiles excluded)




Ref. 9 - pag. 39

component	depth (mm)	length (mm)
00006986	400	900
00006989	400	1200
00006992	400	1500
00006987	500	900
00006990	500	1200
00006993	500	1500
00006988	700	900
00006991	700	1200
00006994	700	1500

ROLLER PROFILES

33mm pitch




Ref. 11 - pag. 39

component	depth (mm)
00006979	375,5
00006980	507,5
00006981	656

RIBBED PROFILE


H29 "U" shaped section for roller profiles



component	nominal length (mm)
00006974	900
00006975	1200
00006976	1500

DISPLAY SHELF HOOKS

to hook display shelves onto an upright



component	description
00006977	HOOK AT RIGHT
00006978	HOOK AT LEFT


SWIVELLING END STOP


Ref. 10 - pag. 39

component	nominal length (mm)
00007179	900
00007180	1200
00007181	1500

BEAM PROFILE

part of the swivelling end stop assembly



component	depth (mm)
00007183	374,5
00007184	374,5

FIXED END STOP


Ref. 8 - pag. 39

component	nominal length (mm)
00007176	900
00007177	1200
00007178	1500

LAMINATED WOODEN SHELF

for display shelving applications - 30mm gauge



component	depth (mm)	length (mm)
00007040	400	900
00007043	400	1200
00007046	400	1500
00007041	500	900
00007044	500	1200
00007047	500	1500
00007042	700	900
00007045	700	1200
00007048	700	1500

SUPERINOX SECONDARY BEAM


component	nominal length (mm)
00005482	900
00007085	1200
00007087	1500

SUPERINOX BEAM

to form the shelf depth



component	nominal depth (mm)
00005601	400
00005065	500
00005602	700

SUPERINOX BEAM

- to form the length of a shelf
- to form a fixed end stop
- to form a swivelling end stop



component	nominal length (mm)
00005500	900
00005874	1200
00007086	1500

SUPERINOX BEAM

to form the bay length of a wall or island display unit



component	nominal length (mm)
00007120	900
00007121	1200
00007122	1500

SUPERINOX BEAM

to form the frame depth of a display shelving frame



component	depth (mm)
00005030	292
00006967	194,5

ARCHED SUPERINOX UPRIGHT 32/4

for display shelving frames



component	length (mm)
00006968	2071

SUPERINOX UPRIGHT 32/4

for display shelving frames




component	length (mm)
00006969	2005

- 1  Frame for single sided wall display unit
art. code n° 0006970


- 2  Set of shelf support accessories
art. code n° 00007170

- 3  Flat shelf with stainless steel sheet
art. code n° 00007067
↓
art. code n° 00007075

- 4  Slatted shelf
art. code n° 00007107
↓
art. code n° 00007115



FIXED DISPLAY UNIT



The "BANCAR-EDDY" unit has been created with 3 display levels and is perfectly suited to any box or fruit and vegetable crate dimension:

- the lower shelf level of the 900mm, 1200mm and 1500mm unit has a dimension of 966x518mm, 1263x518mm and 1560x518mm respectively;
- the intermediate level of the 900mm, 1200mm and 1500mm unit is inclined at 17° to boost product visibility and is accessorised with an end stop. It has a display surface of 966x612 mm, 1263x612 mm and 1560x612 mm, respectively;
- the top level of the 900mm, 1200mm and 1500mm unit has a dimension of 966x413mm, 1263x413mm and 1560x413mm respectively and can be inclined to 6° or 27°. It is accessorised with an end stop to prevent items falling down.

The display levels are available in two versions:

- with slatted stainless steel shelves made from smooth faced slats running along the length of the bay, or
- with perforated blue polypropylene panels covering the surface.

The light and resistant frame comes preassembled and is commissioned with ease.

These products have been specifically developed for fruit and vegetable display: all components are compatible with food industry requirements.


WITH SLATTED INOX SHELVES

component	bay length (mm)
00006450	900
00006451	1200
00006452	1500

WITH PLASTIC SHELF PANELS

component	bay length (mm)
00006453	900
00006454	1200
00006455	1500

MOBILE DISPLAY UNIT



The "BANCAR-ELLY" display unit has been developed with 3 display levels and is specifically studied for display requirements:

- the lower level can be dedicated to replenishment;
- the hip shelf level is inclined, accessorised with an end stopper and boasts product visibility;
- the top level can also serve as a display surface.

Thanks to the 4 swivelling rubber capped wheels, two with wheel locks, the display unit is easily moved into position.

The three display levels are available in 2 versions:

- with slatted stainless shelves, made from smooth faced slats running along the length of the bay, or
- with perforated blue polypropylene panels covering the surface;

All components are compatible with food industry requirements.

WITH SLATTED INOX SHELVES

component	bay length (mm)
00005897	900
00005898	1200
00005899	1500

WITH PLASTIC SHELF PANELS

component	bay length (mm)
00005917	900
00005918	1200
00005919	1500

RECLINABLE DISPLAY STAND




espos *Iris*

The "ESPOS-IRIS" is a modular stainless steel display stand designed for the display of fruit and vegetables and for other applications. The display surface is mounted on a trolley which has 4 swivelling rubber capped wheels, two of which have wheel locks, to facilitate transfers between display areas and replenishment or working areas. The bottom level can be used for easily accessible stock replenishment while the display surface is accessorised with an end stopper and adjustable to 3 standard inclinations. The display surface can fold away flat against the trolley base, thus minimising volume during storage.

The inclined display surface of the double unit contains two adjustable central supports hence adaptable to any fruit carton or box dimension.

The "ESPOS-IRIS" stand comes preassembled ready to use.

Both the stainless steel and polypropylene components used in the manufacture of this product are compatible with food industry requirements.



SINGLE SIDED ITEM

component front width (mm)


00005745 440

DOUBLE SIDED ITEM

component front width (mm)

00005746 1100

PROMOTIONAL DISPLAY BIN



bancar *Ella*

The promotional display bins are available with a stainless steel slatted base or polypropylene plastic panel version.

Both models are an eyecatcher and an excellent vehicle to highlight goods on the sales floor. The shelf level is approx. 500mm from ground whereas the side walls are 300mm in height thus providing a total storage capacity of approx. 310 litres, all of which facilitates use and easy positioning of merchandise.

In addition, all components are made from food grade material.

WITH SLATTED STAINLESS STEEL BASE

component 00005487

WITH PLASTIC PANEL BASE

component 00005480

BENCH



component	length (mm)
00005593	900
00005095	1000
00005594	1200
00005096	1500

CLOAK ROOM BENCH KIT
(without bench)



component	length (mm)	description
00008282	900	single sided kit
00008283	1200	single sided kit
00005411	1500	single sided kit

CLOAK ROOM BENCH KIT
(without bench)




component	length (mm)	description
00008280	900	double sided kit
00008281	1200	double sided kit
00005410	1500	double sided kit

CLOAK ROOM SHELF



component	length (mm)
00005563	900
00005562	1200
00005466	1500

VALET STAND



component	dimensions (mm) LxDxH
00007527	460 x 340 x 1595

LADDER



component	nominal height (mm)	description
00008998	1800	6-step-ladder
00008999	2400	8-step-ladder
00009000	2800	10-step-ladder

MOBILE LADDER



component	nominal height (mm)	description
00008879	2000	5-step-ladder
00008880	2500	7-step-ladder
00008881	3000	9-step-ladder

FOLDABLE 2-STEP STAIR



component	height (mm)
00009143	605

FOLDABLE STAIRS



component	nominal height (mm)	description
00008719	1000	3-step-stairs
00008720	1200	4-step-stairs
00008721	1500	5-step-stairs

3-STEP-STAIR




component	nominal height (mm)
00008642	1300

COAT HANGER


component	dimensions (mm) LxDxH
00006639	550 x 550 x 1750

UMBRELLA STAND

starter unit



component	dimensions (mm) LxDxH	description
00010015	970 x 400 x 820	mod. green
00010016	970 x 400 x 820	mod. red
00010017	970 x 400 x 820	mod. white
00010018	970 x 400 x 820	mod. black

UMBRELLA STAND


add-on-unit



component	dimensions (mm) LxDxH	description
00010019	970 x 400 x 820	mod. green
00010020	970 x 400 x 820	mod. red
00010021	970 x 400 x 820	mod. white
00010022	970 x 400 x 820	mod. black

WINE RACK


single sided unit



component	dimensions (mm) LxDxH	description
00010195	970 x 445 x 905	green
00010268	970 x 445 x 905	white
00010270	970 x 445 x 905	red


WINE RACK

double sided unit




component	dimensions (mm) LxDxH	description
00010196	970 x 570 x 900	green
00010269	970 x 570 x 900	white
00010271	970 x 570 x 900	red


**MODULAR INSERTS
FOR BOTTLE STORAGE**

 designed to complement
the SIMPLY INOX
shelving kit


component	dimensions (mm) LxDxH
00009649	970 x 390 x 32

WINE RACK


component	dimensions (mm) LxDxH	description
00009634	875 x 360 x 200	Ground Unit Inox
00009636	875 x 360 x 200	Add-on-Unit Inox
00009633	875 x 360 x 200	Ground Unit Wood
00009635	875 x 360 x 200	Add-on-Unit Wood

WINE DISPLAY



component	dimensions (mm) LxDxH
00009578	875 x 360 x 200

**STAINLESS STEEL SHELVING KIT
"SIMPLY INOX" with 5 plastic shelf levels**

 Load capacity
90 daN/shelf level,
for uniformly distri-
buted loads.

 Height: 1850 mm
Length: 1000 mm
Depth: 400 mm

component starter unit	component add-on unit	colour of plastic shelves
00004909	00004910	yellow
00004911	00004912	cyan
00004913	00004914	white

MULTIPURPOSE SHELF KIT



component	dimensions (mm) LxDxH	description
00007232	460 x 380 x 1410	with plastic shelves
00007274	390 x 310 x 6	kit glass shelves
00007273	390 x 310 x 12	kit wooden shelves

CD-DVD STAND


component	dimensions (mm) LxDxH
00007498	250 x 355 x 1620

MULTIMEDIA RACK



component	dimensions (mm) LxDxH
00007736	525 x 475 x 1545

MODULAR BOOK & MEDIA RACK


component	description
00009395	starter frame
00009396	add-on-frame
00009397	beam set L=900
00009398	beam set L=1200
00009399	set of green curved beam tops L=900*
00009403	set of green curved beam tops L=1200**

MULTIMEDIA TOWER


component	dimensions (mm) LxDxH	colour
00009212	410 x 390 x 1950	green
00009213	410 x 390 x 1950	white
00009214	410 x 390 x 1950	red

DISPLAY STAND


component	dimensions (mm) LxDxH
00007059	700 x 760 x 1790

* also available in red (art. n° 00009400), black (art. n° 00009401), white (art. n° 00009402)
 ** also available in red (art. n° 00009404), black (art. n° 00009405), white (art. n° 00009406)

SIGN HOLDER STAND

CRYSTAL GLASS SUPPORT


component	dimensions (mm) LxDxH	description
00007965	400 x 400 x 1200	sign holder
00008547	327 x 240 x 6	glass A4+
00008546	327 x 450 x 6	glass A3+

CATALOGUE DISPLAY STAND


component	dimensions (mm) LxDxH
00006660	360 x 270 x 1770

FIRE-EXTINGUISHER STAND


component	dimensions (mm) LxDxH	description
00007593	300 x 360 x 1560	fire-extinguisher stand
00007607	145 x 175	plate



METALSISTEM... always presenting innovative systems to model space.

